This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents *will not* correct images, Please do not report the images to the Image Problem Mailbox.

PTO 94-3525

Japan, Kokai 4-135271

MERCHANDISE ORDER QUANTITY DETERMINATION SYSTEM [Shohin Hacchu Kettei Sochi]

Isamu Matsuoka, et al.

UNITED STATES PATENT AND TRADEMARK OFFICE Washington, D.C. June 1994

Translated by: FLS, Inc.

- (19) JAPAN
- (12) Official Gazette for Unexamined Patents (A)
- (11) Kokai No. 4-135271 (Unexamined published patent application)
- (43) Kokai publication date: May 8, 1992
- (21) Application No.: 2-257833
- (22) Application date: September 27, 1990
- (51) IPC: G 06 F 15/21
- (72) Inventors: Isamu Matsuoka and Tatsumi Adachi
- (71) Applicant: Kansai NEC Software
- (54) MERCHANDISE ORDER QUANTITY DETERMINATION SYSTEM

Title of Invention

MERCHANDISE ORDER QUANTITY DETERMINATION SYSTEM

Claim

A merchandise order quantity determination system provided with a means for inputting current inventory data, actual merchandise sales results data and past weather data; a means for inputting weather forecasting data; a means for inputting weather attribute data and day-of-the-week attribute data; and a computerized system that modifies the actual sales results of the type of merchandise to be ordered and calculates the estimated order quantity of the merchandise based on the information from the above means of input.

Detailed Specifications

Field of invention

This invention pertains to a merchandise order quantity determination system. More specifically, this invention pertains to a merchandise order quantity determination system that determines the order quantity of merchandise at stores such as supermarkets.

Prior technology

In the conventional merchandise order quantity determination system, which is based on human judgement, people determine the order quantity of merchandise by making a sales forecast of

^{*}Numbers in the margin indicate pagination in the foreign text.

merchandise according to information showing the actual sales results of such merchandise, as well as weather conditions and the particular day of the week.

Problems that this invention solves

The drawback of the conventional merchandise order quantity determination system is that order determinations based on human judgement result in fluctuations in quantities ordered, depending on the differing perceptions of the people that are ordering.

The purpose of this invention is to provide a merchandise order quantity determination system which is able to determine the order quantity automatically based on the information input, such as weather conditions and the day of the week, providing an objective criteria for decision-making.

Means of solving the problems

The merchandise order quantity determination system of this invention comprises a means for inputting current inventory, actual merchandise sales results and past weather data; a means for inputting weather forecast data; a means for inputting weather attribute data and day-of-the-week attribute data; and a /454 computerized system that modifies the actual sales results of the type of merchandise to be ordered and calculates the estimated order quantity based on the information from the above means of input.

Operational example

The following explains an operational example of this invention with reference drawings.

Figure 1 is a block diagram for an operational example of this invention's merchandise order quantity determination system.

As shown in Fig. 1, this operational example comprises the current inventory input device [1] allowing the input of merchandise inventory [20]; the merchandise actual sales result data input device [2] allowing the input of sales results data for the merchandise [21]; the past weather data input device [3] allowing the input of past weather data [22]; the weather attribute data input device [4] allowing the input of weather attribute data [23]; the weather forecast data input device [5] allowing the input of weather forecast data [24]; the day-of-theweek attribute data input device [6] allowing the input of dayof-the-week attribute data [25]; and the actual sales result modifying device [7] which provides the modified data of the $i^{rac{1}{2}}$ actual sales results [30] based on the actual sales results data [21], past weather data [22] and the weather attribute data [23]; and the forecast order calculating device [8] which provides the order quantity of the merchandise [40] based on the current inventory [20], the modified data of actual sales results [30], 2, the weather forecast [24] and the day-of-the-week attribute data [25].

Figure 2 shows the procedures for calculating the actual sales results data for the merchandise based on the weather attribute data, including past weather data, which results in the modified data of sales results of this operational example in relation to weather. Figure 2 (A) is an example which displays

the relation between the actual sales results data of the merchandise, past weather data and weather attribute data. Based on the data provided in Fig. 2 (A), Fig. (B) shows an example of calculating the modified data of the average sales which forms the modified data of sales results.

Figure 3 explains the procedures for processing the modified data of sales results with the current inventory, weather forecast data, weather attribute data and the day-of-the-week data in order to determine the order quantity of this operational example. Figure 3 (A) shows the procedures for obtaining the weather attribute coefficient of a particular date of ordering based on the weather attribute data including the weather forecast data of the order date. Figure 3 (B) shows the procedures for ultimately obtaining the order quantity based on the actual sales data of the merchandise, the weather attribute data of the order date, the day-of-the-week attribute data and the current inventory.

Effect of invention

Provided with the weather attribute data and day-of-the-week attribute data, the merchandise order quantity determination system of this invention allows the actual sales results, weather conditions and day-of-the-week data of the order date to be considered for the decision. As a result, the accuracy of the order quantity is improved.

Brief description of drawing

Figure 1 is a block diagram for an operational example of this invention's merchandise order quantity determination system. Figure 2 shows the procedures for calculating the modified data of sales results of the type of merchandise to be ordered. Figure 3 shows the procedures for calculating the order quantity data of this operational example.

[1]... merchandise current inventory input device; [2]... merchandise actual sales result data input device; [3]... past weather data input device; [4]... weather attribute data input device; [5]... weather forecast data input device; [6]... day-of-the-week attribute data input device; [7]... actual sales result modifying device; [8]... forecast order calculating device; [20]... merchandise inventory; [21]... merchandise sales results data; [22]... past weather data; [23]... weather attribute data; [24]... weather forecast data; [25]... day-of-the-week attribute data; [30]... modified data of the actual sales results; [40]... merchandise order quantity




Fig. 1
Key: [1]... merchandise current inventory input device; [2]... merchandise actual sales result data input device; [3]... past weather data input device; [4]... weather attribute data input device; [5]... weather forecast data input device; [6]... day-of-the-week attribute data input device; [7]... actual sales result modifying device; [8]... forecast order calculating device; [20]... merchandise inventory; [21]... merchandise sales results data; [22]... past weather data; [23]... weather attribute data; [24]... weather forecast data; [25]... day-of-the-week attribute data; [30]... modified data of the actual sales results; [40]... merchandise order quantity

| | Order item: | Salmo | on rice ba | all Orde | er date: 8 | 3/28/89 (Mon) | | |
|------------------|--------------------------------|-------|------------------------------------------|------------------------|------------|----------------------|--|--|
| | | | V | Weather attribute data | | | | |
| | | | Past weather data (time period of a day) | | | Weather attribute | | |
| S A | Survey date | pcs. | 0:00 - 8:00 | - 16:00 | - 24:00 | coefficient | | |
| ES | 1 week before (8/21/89) | 14 | Sunny | Sunny | Sunny | 1 | | |
| RESUL | 2 weeks before (8/14/89) | 12 | Sunny | Cloudy | Cloudy | 1 | | |
| TS | 3 weeks before (8/7/89) | 9 | Rainy | Rainy | Cloudy | 0.85 | | |
| D A T A | 4 weeks before (7/31/89) | 11 | Cloudy | Cloudy | Sunny | 0.95 | | |

Fig. 2 (A)

| Order item: Salmon rice ball | | Order da | ite: 8/28 | 3/89 |
|--------------------------------------------------------------------------------------|-----------------------|------------------------|--------------------------|-------------------------|
| | One week before | Two weeks before | Three weeks before | Four weeks before |
| Actual sales result | 14 | 12 | 9 | 11 |
| Weather attribute coefficient | 1 | 1 | 0.85 | 0.95 |
| Modified data of sales results (Actual sales result) Weather attribute coefficient | 14 | 12 | 10.6 | 11.6 |
| Modified data of average sales result | 14 + | 12 + 10.0 | 5 + 11.6 | = 12.1 |

Fig. 2 (B)

| Item: Salmon rice ball Order date: 8/28/89 | | | | | | | | |
|----------------------------------------------------------------------------|------------------------|--------|-----|--|--|--|--|--|
| | Weather attribute data | | | | | | | |
| Weather forecast on order date (time period of the day) Weather attribute | | | | | | | | |
| 0:00 - 8:00 | | | | | | | | |
| Rainy | Cloudy | Cloudy | 0.9 | | | | | |

Fig. 3 (A)

| Order item: Salmon rice ball Orde | r date: 8/28/89 |
|------------------------------------------------------------------------------------------------------|-----------------|
| Modified data of sales results | 12.1 |
| Weather attribute coefficient of order date | 0.9 |
| Order quantity data 1 (Modified data of sales results x Weather attribute coefficient of order date) | 10.9 |
| Day-of-the-week attribute coefficient (Monday) | 0.95 |
| Order quantity data 2 (Order quantity data 1 x Day-of-the-week attribute coefficient) | 10.4 |
| Current merchandise inventory data | 2 |
| Order quantity data (final) (Order quantity data 1 - Current inventory data) | 8 (rounded) |

Fig. 3 (B)



⑩日本国特許庁(JP)

① 特許出願公開

⑩ 公 開 特 許 公 報 (A) 平4-135271

Int. Cl.

Int

識別記号

厅内整理番号

码公開 平成4年(1992)5月8日

G 06 F 15/21

3 3 0

7218-5L

審査請求 未請求 請求項の数 1 (全3頁)

の発明の名称

商品発注決定装置

②特 類 平2-257833

⊘出 頤 平2(1990)9月27日

@ 希 明 者 松

勇 大阪府大阪市中央区域見1丁目4番24号 関西日本電気ソ

フトウェア株式会社内

@発明者 安達

辰 巳

大阪府大阪市中央区域見1丁目4番24号 関西日本電気ソ

フトウエア株式会社内

⑪出 顋 人 関西日本電気ソフトウ

大阪府大阪市中央区城見1丁目4番24号

エア株式会社

圖

现代 理 人 弁理士 内 原 晋



94-3525 S.T.I.C., TRANSLATIONS BRANCH

明編書

発明の名称

商品発注決定装置

特許請求の範囲

商品現在庫情報、商品販売実践情報および通信報の各々を入力する各入力手段と、天候特性情報を入力する人力手段と、天候特性情報を入力する各入力手段と、前記記記の入力手段からの情報により発注対象商品の予選発が表現の補正および発注対象商品の予選発とを備えることを特徴とを備えることを特徴とを商品発注決定該置。

発明の詳細な説明

〔産業上の利用分野〕

本発明は商品発注決定装置に関し、特にスーパーマーケット等の商品発注数を定める商品発注決定装置に関する。

〔従来の技術〕

提来から実施されている商品免注決定方式は、 人手による感覚に頼った発注方法であり、商品の 販売実績を示す情報および天候および曜日の違い などにより商品の販売予測を行って、商品の発注 数を人手によって定めている。

(発明が解決しようとする課題)

上述した従来の商品発注決定方式は、人手による決定となっているので、担当発注者の違いで発 注決定数にばらつきがあるという欠点を有してい る。

本発明の目的は、発注対象商品の発注数の決定に対して客観的な判断規模として天候情報、曜日情報などを取り込んで、自動的に商品の発注数を接供することができる商品発注決定装置を提供することにある。

「作用を何末すりための方紋」 (背間が解決しようとする課題)

本発明の商品発注決定装置は、商品現在専情報、商品販売実践情報および過去天装情報の各々を入力する各入力手段と、天候予測情報を入力す

る人力手段と、天航特性情報および曜日特性情報 を入力する各入力手段と、資記各々の入力手段からの情報により発注対象商品の販売実績の福正お よび発注対象商品の予調発注数を算出する算出手 段とを備えて構成されている。

(实施例)

次に、本発明の実施例について図面を参照して 数明する。

第1回は本発明の商品見注決定装置の一突競所 を示すプロック図である。

第1 図に示すように本実施例は、商品在庫情報 2 0 を入力する商品現在庫情報入力手段1 年 所 販売実践情報2 1 を入力する商品販売実践情報 力手段2、過去天候情報2 2 を入力する過去天候情報 付報入力手段3、天候特性情報2 3 を入力する過去する 候特性情報入力手段4、天候予測情報2 4 を する天候予期情報入力手段5、曜日特性情報 する天候予期情報入力手段6の5 年 し、免注対象商品販売実践補正計算手段7 で商品 販売実践情報2 1 と過去天候情報2 2 2 と天候特性 情報23とから発注対象商品販売実銀補正情報30を算出し、予測発注数計算手段8で商品現在 原情報20と発注対象商品販売実銀補正情報30 と天候予測情報24と電日特性情報25とから周 品発注数情報40を算出することにより構成されている。

また、第2回は商品販売実設情報を過去天候情報を含む天保特性情報によって、天候に対する本実施例の商品販売実裁補正情報を算出する手環を 示す投明回である。第2回(A)は商品販売実践情報、過去天保情報及び天候特性情報の関係を例 として示している。第2回(B)は第2回(A) で示す情報から商品販売実践補正情報である平均 販売実践補正数を算出する手環を例として示している。

さらに、第3回は本実施例の商品販売実践等正情報を商品現在庫情報。天候予測情報。天候特性情報および曜日特性情報によって、本実施例の商品発注數情報を決定する重出手環を示す説明図である。第3回(A)は発注日の天候予測情報を含

む天候特性情報から発注日の天候特性係数を算出する手順を示している。第2回(B)は商品販売 実設情報。発注日天候特性情報、曜日特性情報お よび商品現在庫情報から最終的に商品発注数情報 を算出する手順を説明している。

(売明の効果)

本発明の商品発注決定設置は、天候特性情報と理日特性情報とを設けることにより、販売実績と発注日の天候状態と発注日の曜日とを考慮することによって、商品の発注数の特度を高めることができるという効果を有している。


図面の簡単な説明

第1因は本発明の商品免注決定装置の一実施例 を示すプロック図、第2因は本実施例の商品販売 実績補正情報を算出する手順を示す説明図、第3 図は本実施例の商品免注情報を算出する手順を示 す説明図である。

 段、4……天候特性情報人力手段、5……天候子選情報入力手段、6……電日特性情報入力手段、7…… 発注対象商品販売実践補正計算手段、8…… 于湖亮注數計算手段、20……商品现在庫情報、21……商品販売実設情報、22……過去天候情報、23……天候特性情報、24……天候予測情報、25……電日特性情報、30……発注対象商品販売実践補正情報、40……商品発注數情報。

代理人 弁理士 内 原 智

排開手4-135271 (3)



| _ | | | 7711=1 | | FC /LU | **/*/** (11 ¥ 11) |
|------|-------------------|----|------------|--------|------------|-----------------------------|
| `. | · | | X | 坂竹 | 扫描 | K |
| | ` | `_ | 通去天候非 | 骸(87)2 | 門本町) | 天城竹桩 |
| | KAO | 佃款 | 003-201 | ~ 164 | ~ 2014 | 任 钦 |
| 商品贩免 | 14 MA 15/8(21) | 14 | •à H | PAN | NĂR | / |
| 歌を実 | 2週期的 (37/8/M) | | 维抗 | 費り | ⊕ " | 1 |
| 構 | 3頃間前 四247) | | A | ĀĪ | 長り | 0 95 |
| 板 | 4週間前 01/7/31) | " | 5 7 | 景り | 明月 | 0.85 |

| 爱· 讨象局 。 | ローテマキオニ | もりンマケ | 先注目 " | 89/8/28 |
|-------------------------------|---------|-------------|--------------|---------|
| | 個問前 | 2週間前 | 3月間前 | वस्राम् |
| 班北外州 | A\$ | 12 | 9 | - 11 |
| th have be | , | / | 085 | D 45 |
| いたが計画的 (<u>新まかけ</u>) | 14 | 12. | 106 | 115 |
| 117联系列集 推正数 | 13 . | 17 . 10.5 . | 116 | 12 1 |
| | | (8) | | · |

第2 例

| 来当时象色。 | 元 テマキオニキ | ソシーケ イ | E.E.B 89/8/28 |
|---------|------------|--------|---------------|
| 天顿 | 17 11 19 P | §. | |
| 発注日. 天 | 械于,即情報 | (科問奉引) | |
| 001~801 | ~16時 | ~211 | 天安村往休秋 |
| 耶 | ₹ 9 | 量り | 09 |

(A)

| 発注対象責品 テマキオニギツシャケ | Æ:±8:89/8/28 |
|--------------------------------|--------------|
| 白品版主笑模描正情報 | 12 1 |
| 是注目天候特性侨数 | 08 |
| 商品是注放情報 / | |
| (高温能化炭漿、発注8天線) 格正情報 特性情數) | 10 9 |
| 曜日特柱係数(月曜日) | 0 VS |
| 岛而是注致情報 2 (岛品是注致情報 / 本省的特殊的 | 10.4 |
| 商品现在净值报 | ٤ |
| 自动尼注取惯积(大义分) | 8 |
| (商品是注数 _ 商品现在海绵板) | (四拾五人济) |

(B)

第 3 図

⑩ 公 開 特 許 公 報 (A) 平4-135271

֍Int. Cl. 3

識別記号

庁内整理番号

码公開 平成4年(1992)5月8日

G 06 F 15/21

3 3 0

7218-5L

審査請求 未請求 請求項の数 1 (全3頁)

❸発明の名称 商品発圧決定装置

到特 類 平2-257833

危疮 明 者 松

勇

大阪府大阪市中央区域見1丁目4番24号 関西日本電気ソ

フトウェア株式会社内

@発明者 安達

辰 巳

大阪府大阪市中央区域見1丁目4番24号 関西日本電気ソ

フトウェア株式会社内

の出 顕 人 関西日本電気ソフトウ

エア株式会社

团

砂代 理 人 弁理士 内 原 晋

明超書

発明の名称

商品発注決定装置

特許請求の範囲

商品現在庫情報、商品販売実践情報および過去 天候情報の各々を入力する各入力手段と、天候特性情報を入力する入力手段と、天候特性情報を入力する各入力手段と、前記日特性情報を入力する各入力手段と、前記を での入力手段からの情報により発注対象商品の表 売実践の補正および発注対象商品の予測発注を 第出する算出手段とを備えることを特徴とする 品発注決定装置。

発明の詳細な説明

〔産業上の利用分野〕

本発明は商品発注決定装置に関し、特にスーパーマーケット等の商品発注数を定める商品発注決定装置に関する。

〔従来の技術〕

大历府大阪市中央区域見1丁目4番24号

従来から実施されている商品免注決定方式は、 人手による感覚に頼った発注方法であり、商品の 販売実績を示す情報および天候および曜日の違い などにより商品の販売予測を行って、商品の発注 数を人手によって定めている。

[発明が解決しようとする展題]

上述した従来の商品発注決定方式は、人手による決定となっているので、担当発注者の違いで発 注決定数にばらつきがあるという欠点を有している。

本発明の目的は、発注対象商品の発注数の決定に対して客観的な判断規準として天候情報。曜日情報などを取り込んで、自動的に商品の発注数を決定することができる商品発注決定装置を提供す

ることにある。 | 保囲も似来すりにめの方尺 | 見聞が解決しようとする課題|

本見明の商品見注決定装置は、商品現在準備程、商品販売実践情報および過去天候情報の各々を入力する各入力手段と、天候予測情報を入力す

る入力手段と、天城特性情報および曜日特性情報 を入力する各入力手段と、背記各々の入力手段か らの情報により発注対象商品の販売実織の補正お よび発注対象商品の予測発注数を算出する裏出手 段とを備えて構成されている。

(実施例)

次に、本売明の交貨例について図面を参照して 設明する。

第1回は本発明の商品売往決定装置の一実施例を示すブロック図である。

第1回に示すように本実施例は、商品在理情報20を入力する商品現在度情報入力手段1、商品販売実践情報21を入力する商品販売実践情報表入力手段2、過去天候情報22を入力する過去天候特性情報23を入力する現代報入力手段4、天候予測情報24を入力する項目特性情報入力手段6の各々を利し、先注対象商品販売実調補正計算手段7で商品販売実践情報22と天候特性

情報23とから発達対象是品質売実績補正情報30を算出し、予測発注数計算手段8で商品規在庫情報20と発達対象商品販売実績補正情報30と天候予測情報24と曜日特性情報25とから商品発注数情報40を算出することにより構成されている。 また、第2回は商品販売実績情報を過去天候情報

さらに、第3回は本実施例の商品販売実設制正 情報を商品現在原情報。天候予測情報。天候特性 情報および曜日特性情報によって、本実施例の商 品発注数情報を決定する算出手環を示す説明図で ある。第3回(A)は発注日の天候予測情報を含

む天候特性情報から発注日の天候特性係数を算出する手順を示している。第2 凶(B) は商品設定実践情報、発注日天候特性情報、曜日特性情報および商品現在準情報から最終的に商品発注数情報を算出する手順を説明している。

(売明の効果)

本発明の商品売注決定装置は、天候特性情報と 曜日特性情報とを設けることにより、 販売実績と 売注日の天候状態と売注日の曜日とを考慮するこ とによって、商品の売注数の特度を高めることが できるという効果を有している。


関画の信単な技術

第1因は本発明の商品発注決定装置の一実施例 を示すプロック図、第2因は本実施例の商品販売 実績補正情報を算出する手順を示す設明図、第3 図は本実施例の商品発注情報を算出する手順を示 す説明図である。

1 ……商品现在雇情報入力手段、 2 … … 商品版 元实践惯器入力手段、 3 … … 過去天氣情報入力手

段、4……天候特性情報入力手段、5……天候予認信報入力手段、6……照旦特性情報入力手段。7……死迁对象商品販売实践補正計算手段、8……于河先往散計算手段、20……商品现在取情報、21……商品販売实践情報、22……通去天候情報、23……天候特性情報、24……天候特性情報、30……先往对象商品販売实績補正情報、40……商品発注數情報。

代理人 弁理士 内 原 聲



| £ | .irt##i | , , | 711=1 | リシャケ | 免证日 | <i>अ/स/रह</i> (भ ःध ।) |
|----------------|-------------|--------|---------|----------|--------|----------------------------------|
| 文 级特拉特 恢 | | | | | | |
| 通大规模版(EFFI所示》) | | | | | 天候特性 | |
| | 火路 日 | 极数 | 003-501 | ~ 16 0 4 | ~ 2414 | 保教 |
| 4 2 | (13/8/21) | И | •k # | *** | ngn | 1 |
| 内品贩充实 | 2 (E) (Sh) | ,, | ift | 乗り | 27 | , |
| 班 3通用的 , | | M | र्मा | €7 | 2.85 | |
| 仮 | 4月間有 | | ₹9 | 景り | 明月 | 0.95 |

(A)

| 是山南岛 | 6 テマキオニ | トリン・ケ | 无 证目" | 99/8/28 |
|----------|---------|--------|--------------|----------|
| | 通問前 | 2म्यात | 3.គ្គងាត់ | ាក្សា គា |
| UŁYH | A | 12 | 7 | 11 |
| TH PHEST | 1 | / | C 8: | CAS |
| EFA184FE | | 12 | 106 | 116 |
| # 五数 | | | | |

第2回

| # 计对象数据 | y テマキオニギ | リシッケー・発 | E日 89/8/28 | | | |
|----------------|------------|-----------|------------|--|--|--|
| 天安特性情极 | | | | | | |
| 発注日 天 | 4子,附值权 | (भागक्रा) | 天候科技统数 | | | |
| 004~804 | ~164 | ~214 | A 11127-A | | | |
| 再 | ₹ 9 | 愛り | 0 9 | | | |

(A)

| 発注対象の語 テマキオニキツシャケ | £:18 89/8/28 |
|--------------------------------------------|--------------|
| 西部联先天接横正将 探 | 12 1 |
| 是注目关键行性价数 | 0 9 |
| 商品是注取情報 / | |
| (高层在定理 _人 经注印发录) 位正指据 特性特款) | 10 9 |
| 理目科技条数 (月曜日) | 0 45 |
| 自而是注致情報 2 (商品是注数连续/ A或图符代条约 | 10 4 |
| 西面理在學技報 | ٤ |
| 月而是注意情報(大文分) (数元是注数 _ 数品现在制作的 4月版 / | が (四輪五入清) |

(B)

第3四